

INDIAN STATISTICAL INSTITUTE, BANGALORE CENTRE
B.MATH - Third Year, 2020-21
Statistics - III, Semestral Examination, December 21, 2020
Marks are shown in square brackets. Total Marks: 50
Time: $2\frac{1}{2}$ Hours; submission must be complete by 1 pm
e-mail: mohan.delampady@gmail.com

You may freely consult the lecture notes, but no other books or resources may be consulted. You may use any of the results stated and discussed in the lecture notes, by stating them explicitly. Results from the assignments may not be used without establishing them. Calculators may be used. Statistical tables are provided in a separate file, Ftable.pdf

1. Suppose $\mathbf{Y} \sim N_p(\mathbf{0}, \Sigma)$ where $\text{Rank}(\Sigma) = r \leq p$ and let B and C be any real symmetric matrices with $\text{trace}(B\Sigma) = r_1$ and $\text{trace}(C\Sigma) = r_2$.

(a) Show that $\mathbf{Y}'B\mathbf{Y}$ and $\mathbf{Y}'C\mathbf{Y}$ are independent χ^2 random variables if and only if

$$\Sigma B \Sigma B \Sigma = \Sigma B \Sigma, \quad \Sigma C \Sigma C \Sigma = \Sigma C \Sigma, \quad \Sigma B \Sigma C \Sigma = \mathbf{0}.$$

(b) Show that the degrees of freedom of these χ^2 distributions can be expressed in terms of r_1 and r_2 . [14+6]

2. Let $Z_i, 1 \leq i \leq 4$ be independent $N(0, \sigma^2)$ random variables. Define $Y_1 = Z_1, Y_2 = Y_1 + Z_2, Y_3 = Y_1 - Z_3$ and $Y_4 = Z_4$. Let $\mathbf{Y} = (Y_1, Y_2, Y_3, Y_4)'$.

(a) Find the probability distribution of \mathbf{Y} .

(b) Find the partial correlation coefficients $\rho_{12.3}, \rho_{12.4}$ and $\rho_{12.34}$ (between elements of \mathbf{Y}).

(c) Find the multiple correlation coefficient between Y_1 and (Y_2, Y_4) .

[5+6+4]

3. A multiple linear regression analysis of a data set containing $n = 30$ observations on the variables $X_1 = \text{Year}$, 1 denoting 1930, $X_2 = \text{Pre-season precipitation}$, $X_3 = \text{June rain}$, $X_4 = \text{June temperature}$, $X_5 = \text{July rain}$,

and $Y = \text{Corn Yield}$, for the state of Iowa, USA, yielded the following results. Here Y is taken as the response and X_1, \dots, X_5 as the regressors. The regression matrix has full column rank here.

$$\sum_{i=1}^n y_i^2 = 72551.25, \bar{y} = 47.81677, R^2 = 0.605.$$

- (a) Construct the ANOVA table for regression.
- (b) Conduct a test at a reasonable level of significance for the usefulness of the regressors, X_1, \dots, X_5 , in explaining the variability of Y .
- (c) What assumptions are needed to justify this analysis? [6+6+3]

Table entry for p is the critical value F^* with probability p lying to its right.




TABLE E

F critical values

		Degrees of freedom in the numerator									
p		1	2	3	4	5	6	7	8	9	
Degrees of freedom in the denominator	1	.100	39.86	49.50	53.59	55.83	57.24	58.20	58.91	59.44	59.86
		.050	161.45	199.50	215.71	224.58	230.16	233.99	236.77	238.88	240.54
		.025	647.79	799.50	864.16	899.58	921.85	937.11	948.22	956.66	963.28
		.010	4052.2	4999.5	5403.4	5624.6	5763.6	5859.0	5928.4	5981.1	6022.5
		.001	405284	500000	540379	562500	576405	585937	592873	598144	602284
	2	.100	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38
		.050	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38
		.025	38.51	39.00	39.17	39.25	39.30	39.33	39.36	39.37	39.39
		.010	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39
		.001	998.50	999.00	999.17	999.25	999.30	999.33	999.36	999.37	999.39
	3	.100	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24
		.050	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
		.025	17.44	16.04	15.44	15.10	14.88	14.73	14.62	14.54	14.47
		.010	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35
		.001	167.03	148.50	141.11	137.10	134.58	132.85	131.58	130.62	129.86
	4	.100	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94
		.050	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
		.025	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.90
		.010	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66
		.001	74.14	61.25	56.18	53.44	51.71	50.53	49.66	49.00	48.47
5	.100	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32	
	.050	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	
	.025	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68	
	.010	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	
	.001	47.18	37.12	33.20	31.09	29.75	28.83	28.16	27.65	27.24	
6	.100	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96	
	.050	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	
	.025	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52	
	.010	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	
	.001	35.51	27.00	23.70	21.92	20.80	20.03	19.46	19.03	18.69	
7	.100	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72	
	.050	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	
	.025	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82	
	.010	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	
	.001	29.25	21.69	18.77	17.20	16.21	15.52	15.02	14.63	14.33	

Table entry for p is the critical value F^* with probability p lying to its right.




TABLE E

F critical values (continued)

Degrees of freedom in the numerator										
10	12	15	20	25	30	40	50	60	120	1000
60.19	60.71	61.22	61.74	62.05	62.26	62.53	62.69	62.79	63.06	63.30
241.88	243.91	245.95	248.01	249.26	250.10	251.14	251.77	252.20	253.25	254.19
968.63	976.71	984.87	993.10	998.08	1001.4	1005.6	1008.1	1009.8	1014.0	1017.7
6055.8	6106.3	6157.3	6208.7	6239.8	6260.6	6286.8	6302.5	6313.0	6339.4	6362.7
605621	610668	615764	620908	624017	626099	628712	630285	631337	633972	636301
9.39	9.41	9.42	9.44	9.45	9.46	9.47	9.47	9.47	9.48	9.49
19.40	19.41	19.43	19.45	19.46	19.46	19.47	19.48	19.48	19.49	19.49
39.40	39.41	39.43	39.45	39.46	39.46	39.47	39.48	39.48	39.49	39.50
99.40	99.42	99.43	99.45	99.46	99.47	99.47	99.48	99.48	99.49	99.50
999.40	999.42	999.43	999.45	999.46	999.47	999.47	999.48	999.48	999.49	999.50
5.23	5.22	5.20	5.18	5.17	5.17	5.16	5.15	5.15	5.14	5.13
8.79	8.74	8.70	8.66	8.63	8.62	8.59	8.58	8.57	8.55	8.53
14.42	14.34	14.25	14.17	14.12	14.08	14.04	14.01	13.99	13.95	13.91
27.23	27.05	26.87	26.69	26.58	26.50	26.41	26.35	26.32	26.22	26.14
129.25	128.32	127.37	126.42	125.84	125.45	124.96	124.66	124.47	123.97	123.53
3.92	3.90	3.87	3.84	3.83	3.82	3.80	3.80	3.79	3.78	3.76
5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.70	5.69	5.66	5.63
8.84	8.75	8.66	8.56	8.50	8.46	8.41	8.38	8.36	8.31	8.26
14.55	14.37	14.20	14.02	13.91	13.84	13.75	13.69	13.65	13.56	13.47
48.05	47.41	46.76	46.10	45.70	45.43	45.09	44.88	44.75	44.40	44.09
3.30	3.27	3.24	3.21	3.19	3.17	3.16	3.15	3.14	3.12	3.11
4.74	4.68	4.62	4.56	4.52	4.50	4.46	4.44	4.43	4.40	4.37
6.62	6.52	6.43	6.33	6.27	6.23	6.18	6.14	6.12	6.07	6.02
10.05	9.89	9.72	9.55	9.45	9.38	9.29	9.24	9.20	9.11	9.03
26.92	26.42	25.91	25.39	25.08	24.87	24.60	24.44	24.33	24.06	23.82
2.94	2.90	2.87	2.84	2.81	2.80	2.78	2.77	2.76	2.74	2.72
4.06	4.00	3.94	3.87	3.83	3.81	3.77	3.75	3.74	3.70	3.67
5.46	5.37	5.27	5.17	5.11	5.07	5.01	4.98	4.96	4.90	4.86
7.87	7.72	7.56	7.40	7.30	7.23	7.14	7.09	7.06	6.97	6.89
18.41	17.99	17.56	17.12	16.85	16.67	16.44	16.31	16.21	15.98	15.77
2.70	2.67	2.63	2.59	2.57	2.56	2.54	2.52	2.51	2.49	2.47
3.64	3.57	3.51	3.44	3.40	3.38	3.34	3.32	3.30	3.27	3.23
4.76	4.67	4.57	4.47	4.40	4.36	4.31	4.28	4.25	4.20	4.15
6.62	6.47	6.31	6.16	6.06	5.99	5.91	5.86	5.82	5.74	5.66
14.08	13.71	13.32	12.93	12.69	12.53	12.33	12.20	12.12	11.91	11.72

(Continued)

TABLE E

F critical values (continued)

		Degrees of freedom in the numerator										
<i>p</i>		1	2	3	4	5	6	7	8	9		
Degrees of freedom in the denominator	8	.100	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56	
		.050	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	
		.025	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36	
		.010	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	
		.001	25.41	18.49	15.83	14.39	13.48	12.86	12.40	12.05	11.77	
		9	.100	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44
			.050	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18
			.025	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03
			.010	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35
			.001	22.86	16.39	13.90	12.56	11.71	11.13	10.70	10.37	10.11
		10	.100	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35
			.050	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
			.025	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78
			.010	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94
			.001	21.04	14.91	12.55	11.28	10.48	9.93	9.52	9.20	8.96
		11	.100	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27
			.050	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90
			.025	6.72	5.26	4.63	4.28	4.04	3.88	3.76	3.66	3.59
			.010	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63
			.001	19.69	13.81	11.56	10.35	9.58	9.05	8.66	8.35	8.12
	12	.100	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21	
		.050	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	
		.025	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44	
		.010	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	
		.001	18.64	12.97	10.80	9.63	8.89	8.38	8.00	7.71	7.48	
	13	.100	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16	
		.050	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	
		.025	6.41	4.97	4.35	4.00	3.77	3.60	3.48	3.39	3.31	
		.010	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	
		.001	17.82	12.31	10.21	9.07	8.35	7.86	7.49	7.21	6.98	
	14	.100	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12	
		.050	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	
		.025	6.30	4.86	4.24	3.89	3.66	3.50	3.38	3.29	3.21	
		.010	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	
		.001	17.14	11.78	9.73	8.62	7.92	7.44	7.08	6.80	6.58	
	15	.100	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09	
		.050	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	
		.025	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12	
		.010	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	
		.001	16.59	11.34	9.34	8.25	7.57	7.09	6.74	6.47	6.26	
	16	.100	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06	
		.050	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	
		.025	6.12	4.69	4.08	3.73	3.50	3.34	3.22	3.12	3.05	
		.010	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	
		.001	16.12	10.97	9.01	7.94	7.27	6.80	6.46	6.19	5.98	
	17	.100	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03	
		.050	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	
		.025	6.04	4.62	4.01	3.66	3.44	3.28	3.16	3.06	2.98	
		.010	8.40	6.11	5.19	4.67	4.34	4.10	3.93	3.79	3.68	
		.001	15.72	10.66	8.73	7.68	7.02	6.56	6.22	5.96	5.75	

TABLE E**F critical values (continued)**

Degrees of freedom in the numerator										
10	12	15	20	25	30	40	50	60	120	1000
2.54	2.50	2.46	2.42	2.40	2.38	2.36	2.35	2.34	2.32	2.30
3.35	3.28	3.22	3.15	3.11	3.08	3.04	3.02	3.01	2.97	2.93
4.30	4.20	4.10	4.00	3.94	3.89	3.84	3.81	3.78	3.73	3.68
5.81	5.67	5.52	5.36	5.26	5.20	5.12	5.07	5.03	4.95	4.87
11.54	11.19	10.84	10.48	10.26	10.11	9.92	9.80	9.73	9.53	9.36
2.42	2.38	2.34	2.30	2.27	2.25	2.23	2.22	2.21	2.18	2.16
3.14	3.07	3.01	2.94	2.89	2.86	2.83	2.80	2.79	2.75	2.71
3.96	3.87	3.77	3.67	3.60	3.56	3.51	3.47	3.45	3.39	3.34
5.26	5.11	4.96	4.81	4.71	4.65	4.57	4.52	4.48	4.40	4.32
9.89	9.57	9.24	8.90	8.69	8.55	8.37	8.26	8.19	8.00	7.84
2.32	2.28	2.24	2.20	2.17	2.16	2.13	2.12	2.11	2.08	2.06
2.98	2.91	2.85	2.77	2.73	2.70	2.66	2.64	2.62	2.58	2.54
3.72	3.62	3.52	3.42	3.35	3.31	3.26	3.22	3.20	3.14	3.09
4.85	4.71	4.56	4.41	4.31	4.25	4.17	4.12	4.08	4.00	3.92
8.75	8.45	8.13	7.80	7.60	7.47	7.30	7.19	7.12	6.94	6.78
2.25	2.21	2.17	2.12	2.10	2.08	2.05	2.04	2.03	2.00	1.98
2.85	2.79	2.72	2.65	2.60	2.57	2.53	2.51	2.49	2.45	2.41
3.53	3.43	3.33	3.23	3.16	3.12	3.06	3.03	3.00	2.94	2.89
4.54	4.40	4.25	4.10	4.01	3.94	3.86	3.81	3.78	3.69	3.61
7.92	7.63	7.32	7.01	6.81	6.68	6.52	6.42	6.35	6.18	6.02
2.19	2.15	2.10	2.06	2.03	2.01	1.99	1.97	1.96	1.93	1.91
2.75	2.69	2.62	2.54	2.50	2.47	2.43	2.40	2.38	2.34	2.30
3.37	3.28	3.18	3.07	3.01	2.96	2.91	2.87	2.85	2.79	2.73
4.30	4.16	4.01	3.86	3.76	3.70	3.62	3.57	3.54	3.45	3.37
7.29	7.00	6.71	6.40	6.22	6.09	5.93	5.83	5.76	5.59	5.44
2.14	2.10	2.05	2.01	1.98	1.96	1.93	1.92	1.90	1.88	1.85
2.67	2.60	2.53	2.46	2.41	2.38	2.34	2.31	2.30	2.25	2.21
3.25	3.15	3.05	2.95	2.88	2.84	2.78	2.74	2.72	2.66	2.60
4.10	3.96	3.82	3.66	3.57	3.51	3.43	3.38	3.34	3.25	3.18
6.80	6.52	6.23	5.93	5.75	5.63	5.47	5.37	5.30	5.14	4.99
2.10	2.05	2.01	1.96	1.93	1.91	1.89	1.87	1.86	1.83	1.80
2.60	2.53	2.46	2.39	2.34	2.31	2.27	2.24	2.22	2.18	2.14
3.15	3.05	2.95	2.84	2.78	2.73	2.67	2.64	2.61	2.55	2.50
3.94	3.80	3.66	3.51	3.41	3.35	3.27	3.22	3.18	3.09	3.02
6.40	6.13	5.85	5.56	5.38	5.25	5.10	5.00	4.94	4.77	4.62
2.06	2.02	1.97	1.92	1.89	1.87	1.85	1.83	1.82	1.79	1.76
2.54	2.48	2.40	2.33	2.28	2.25	2.20	2.18	2.16	2.11	2.07
3.06	2.96	2.86	2.76	2.69	2.64	2.59	2.55	2.52	2.46	2.40
3.80	3.67	3.52	3.37	3.28	3.21	3.13	3.08	3.05	2.96	2.88
6.08	5.81	5.54	5.25	5.07	4.95	4.80	4.70	4.64	4.47	4.33
2.03	1.99	1.94	1.89	1.86	1.84	1.81	1.79	1.78	1.75	1.72
2.49	2.42	2.35	2.28	2.23	2.19	2.15	2.12	2.11	2.06	2.02
2.99	2.89	2.79	2.68	2.61	2.57	2.51	2.47	2.45	2.38	2.32
3.69	3.55	3.41	3.26	3.16	3.10	3.02	2.97	2.93	2.84	2.76
5.81	5.55	5.27	4.99	4.82	4.70	4.54	4.45	4.39	4.23	4.08
2.00	1.96	1.91	1.86	1.83	1.81	1.78	1.76	1.75	1.72	1.69
2.45	2.38	2.31	2.23	2.18	2.15	2.10	2.08	2.06	2.01	1.97
2.92	2.82	2.72	2.62	2.55	2.50	2.44	2.41	2.38	2.32	2.26
3.59	3.46	3.31	3.16	3.07	3.00	2.92	2.87	2.83	2.75	2.66
5.58	5.32	5.05	4.78	4.60	4.48	4.33	4.24	4.18	4.02	3.87

(Continued)

TABLE E

F critical values (continued)

		Degrees of freedom in the numerator										
		1	2	3	4	5	6	7	8	9		
<i>p</i>												
Degrees of freedom in the denominator	18	.100	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00	
		.050	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	
		.025	5.98	4.56	3.95	3.61	3.38	3.22	3.10	3.01	2.93	
		.010	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	
		.001	15.38	10.39	8.49	7.46	6.81	6.35	6.02	5.76	5.56	
		19	.100	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98
			.050	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42
			.025	5.92	4.51	3.90	3.56	3.33	3.17	3.05	2.96	2.88
			.010	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52
			.001	15.08	10.16	8.28	7.27	6.62	6.18	5.85	5.59	5.39
		20	.100	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96
			.050	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
			.025	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84
			.010	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46
			.001	14.82	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.24
		21	.100	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95
			.050	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37
			.025	5.83	4.42	3.82	3.48	3.25	3.09	2.97	2.87	2.80
			.010	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40
			.001	14.59	9.77	7.94	6.95	6.32	5.88	5.56	5.31	5.11
		22	.100	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93
			.050	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34
			.025	5.79	4.38	3.78	3.44	3.22	3.05	2.93	2.84	2.76
			.010	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35
			.001	14.38	9.61	7.80	6.81	6.19	5.76	5.44	5.19	4.99
		23	.100	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.95	1.92
			.050	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32
		.025	5.75	4.35	3.75	3.41	3.18	3.02	2.90	2.81	2.73	
		.010	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	
		.001	14.20	9.47	7.67	6.70	6.08	5.65	5.33	5.09	4.89	
	24	.100	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91	
		.050	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	
		.025	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70	
		.010	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	
		.001	14.03	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.80	
	25	.100	2.92	2.53	2.32	2.18	2.09	2.02	1.97	1.93	1.89	
		.050	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	
		.025	5.69	4.29	3.69	3.35	3.13	2.97	2.85	2.75	2.68	
		.010	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	
		.001	13.88	9.22	7.45	6.49	5.89	5.46	5.15	4.91	4.71	
	26	.100	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88	
		.050	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	
		.025	5.66	4.27	3.67	3.33	3.10	2.94	2.82	2.73	2.65	
		.010	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	
		.001	13.74	9.12	7.36	6.41	5.80	5.38	5.07	4.83	4.64	
	27	.100	2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87	
		.050	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	
		.025	5.63	4.24	3.65	3.31	3.08	2.92	2.80	2.71	2.63	
		.010	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	
		.001	13.61	9.02	7.27	6.33	5.73	5.31	5.00	4.76	4.57	

TABLE E**F critical values (continued)**

Degrees of freedom in the numerator										
10	12	15	20	25	30	40	50	60	120	1000
1.98	1.93	1.89	1.84	1.80	1.78	1.75	1.74	1.72	1.69	1.66
2.41	2.34	2.27	2.19	2.14	2.11	2.06	2.04	2.02	1.97	1.92
2.87	2.77	2.67	2.56	2.49	2.44	2.38	2.35	2.32	2.26	2.20
3.51	3.37	3.23	3.08	2.98	2.92	2.84	2.78	2.75	2.66	2.58
5.39	5.13	4.87	4.59	4.42	4.30	4.15	4.06	4.00	3.84	3.69
1.96	1.91	1.86	1.81	1.78	1.76	1.73	1.71	1.70	1.67	1.64
2.38	2.31	2.23	2.16	2.11	2.07	2.03	2.00	1.98	1.93	1.88
2.82	2.72	2.62	2.51	2.44	2.39	2.33	2.30	2.27	2.20	2.14
3.43	3.30	3.15	3.00	2.91	2.84	2.76	2.71	2.67	2.58	2.50
5.22	4.97	4.70	4.43	4.26	4.14	3.99	3.90	3.84	3.68	3.53
1.94	1.89	1.84	1.79	1.76	1.74	1.71	1.69	1.68	1.64	1.61
2.35	2.28	2.20	2.12	2.07	2.04	1.99	1.97	1.95	1.90	1.85
2.77	2.68	2.57	2.46	2.40	2.35	2.29	2.25	2.22	2.16	2.09
3.37	3.23	3.09	2.94	2.84	2.78	2.69	2.64	2.61	2.52	2.43
5.08	4.82	4.56	4.29	4.12	4.00	3.86	3.77	3.70	3.54	3.40
1.92	1.87	1.83	1.78	1.74	1.72	1.69	1.67	1.66	1.62	1.59
2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.94	1.92	1.87	1.82
2.73	2.64	2.53	2.42	2.36	2.31	2.25	2.21	2.18	2.11	2.05
3.31	3.17	3.03	2.88	2.79	2.72	2.64	2.58	2.55	2.46	2.37
4.95	4.70	4.44	4.17	4.00	3.88	3.74	3.64	3.58	3.42	3.28
1.90	1.86	1.81	1.76	1.73	1.70	1.67	1.65	1.64	1.60	1.57
2.30	2.23	2.15	2.07	2.02	1.98	1.94	1.91	1.89	1.84	1.79
2.70	2.60	2.50	2.39	2.32	2.27	2.21	2.17	2.14	2.08	2.01
3.26	3.12	2.98	2.83	2.73	2.67	2.58	2.53	2.50	2.40	2.32
4.83	4.58	4.33	4.06	3.89	3.78	3.63	3.54	3.48	3.32	3.17
1.89	1.84	1.80	1.74	1.71	1.69	1.66	1.64	1.62	1.59	1.55
2.27	2.20	2.13	2.05	2.00	1.96	1.91	1.88	1.86	1.81	1.76
2.67	2.57	2.47	2.36	2.29	2.24	2.18	2.14	2.11	2.04	1.98
3.21	3.07	2.93	2.78	2.69	2.62	2.54	2.48	2.45	2.35	2.27
4.73	4.48	4.23	3.96	3.79	3.68	3.53	3.44	3.38	3.22	3.08
1.88	1.83	1.78	1.73	1.70	1.67	1.64	1.62	1.61	1.57	1.54
2.25	2.18	2.11	2.03	1.97	1.94	1.89	1.86	1.84	1.79	1.74
2.64	2.54	2.44	2.33	2.26	2.21	2.15	2.11	2.08	2.01	1.94
3.17	3.03	2.89	2.74	2.64	2.58	2.49	2.44	2.40	2.31	2.22
4.64	4.39	4.14	3.87	3.71	3.59	3.45	3.36	3.29	3.14	2.99
1.87	1.82	1.77	1.72	1.68	1.66	1.63	1.61	1.59	1.56	1.52
2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.84	1.82	1.77	1.72
2.61	2.51	2.41	2.30	2.23	2.18	2.12	2.08	2.05	1.98	1.91
3.13	2.99	2.85	2.70	2.60	2.54	2.45	2.40	2.36	2.27	2.18
4.56	4.31	4.06	3.79	3.63	3.52	3.37	3.28	3.22	3.06	2.91
1.86	1.81	1.76	1.71	1.67	1.65	1.61	1.59	1.58	1.54	1.51
2.22	2.15	2.07	1.99	1.94	1.90	1.85	1.82	1.80	1.75	1.70
2.59	2.49	2.39	2.28	2.21	2.16	2.09	2.05	2.03	1.95	1.89
3.09	2.96	2.81	2.66	2.57	2.50	2.42	2.36	2.33	2.23	2.14
4.48	4.24	3.99	3.72	3.56	3.44	3.30	3.21	3.15	2.99	2.84
1.85	1.80	1.75	1.70	1.66	1.64	1.60	1.58	1.57	1.53	1.50
2.20	2.13	2.06	1.97	1.92	1.88	1.84	1.81	1.79	1.73	1.68
2.57	2.47	2.36	2.25	2.18	2.13	2.07	2.03	2.00	1.93	1.86
3.06	2.93	2.78	2.63	2.54	2.47	2.38	2.33	2.29	2.20	2.11
4.41	4.17	3.92	3.66	3.49	3.38	3.23	3.14	3.08	2.92	2.78

(Continued)

TABLE E

F critical values (continued)

		Degrees of freedom in the numerator									
<i>p</i>		1	2	3	4	5	6	7	8	9	
Degrees of freedom in the denominator	28	.100	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87
		.050	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24
		.025	5.61	4.22	3.63	3.29	3.06	2.90	2.78	2.69	2.61
		.010	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12
		.001	13.50	8.93	7.19	6.25	5.66	5.24	4.93	4.69	4.50
	29	.100	2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.86
		.050	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22
		.025	5.59	4.20	3.61	3.27	3.04	2.88	2.76	2.67	2.59
		.010	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09
		.001	13.39	8.85	7.12	6.19	5.59	5.18	4.87	4.64	4.45
	30	.100	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85
		.050	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
		.025	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57
		.010	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07
		.001	13.29	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.39
	40	.100	2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79
		.050	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12
		.025	5.42	4.05	3.46	3.13	2.90	2.74	2.62	2.53	2.45
		.010	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89
		.001	12.61	8.25	6.59	5.70	5.13	4.73	4.44	4.21	4.02
50	.100	2.81	2.41	2.20	2.06	1.97	1.90	1.84	1.80	1.76	
	.050	4.03	3.18	2.79	2.56	2.40	2.29	2.20	2.13	2.07	
	.025	5.34	3.97	3.39	3.05	2.83	2.67	2.55	2.46	2.38	
	.010	7.17	5.06	4.20	3.72	3.41	3.19	3.02	2.89	2.78	
	.001	12.22	7.96	6.34	5.46	4.90	4.51	4.22	4.00	3.82	
60	.100	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74	
	.050	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	
	.025	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33	
	.010	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	
	.001	11.97	7.77	6.17	5.31	4.76	4.37	4.09	3.86	3.69	
100	.100	2.76	2.36	2.14	2.00	1.91	1.83	1.78	1.73	1.69	
	.050	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.97	
	.025	5.18	3.83	3.25	2.92	2.70	2.54	2.42	2.32	2.24	
	.010	6.90	4.82	3.98	3.51	3.21	2.99	2.82	2.69	2.59	
	.001	11.50	7.41	5.86	5.02	4.48	4.11	3.83	3.61	3.44	
200	.100	2.73	2.33	2.11	1.97	1.88	1.80	1.75	1.70	1.66	
	.050	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.98	1.93	
	.025	5.10	3.76	3.18	2.85	2.63	2.47	2.35	2.26	2.18	
	.010	6.76	4.71	3.88	3.41	3.11	2.89	2.73	2.60	2.50	
	.001	11.15	7.15	5.63	4.81	4.29	3.92	3.65	3.43	3.26	
1000	.100	2.71	2.31	2.09	1.95	1.85	1.78	1.72	1.68	1.64	
	.050	3.85	3.00	2.61	2.38	2.22	2.11	2.02	1.95	1.89	
	.025	5.04	3.70	3.13	2.80	2.58	2.42	2.30	2.20	2.13	
	.010	6.66	4.63	3.80	3.34	3.04	2.82	2.66	2.53	2.43	
	.001	10.89	6.96	5.46	4.65	4.14	3.78	3.51	3.30	3.13	

TABLE E**F critical values (continued)**

Degrees of freedom in the numerator										
10	12	15	20	25	30	40	50	60	120	1000
1.84	1.79	1.74	1.69	1.65	1.63	1.59	1.57	1.56	1.52	1.48
2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.79	1.77	1.71	1.66
2.55	2.45	2.34	2.23	2.16	2.11	2.05	2.01	1.98	1.91	1.84
3.03	2.90	2.75	2.60	2.51	2.44	2.35	2.30	2.26	2.17	2.08
4.35	4.11	3.86	3.60	3.43	3.32	3.18	3.09	3.02	2.86	2.72
1.83	1.78	1.73	1.68	1.64	1.62	1.58	1.56	1.55	1.51	1.47
2.18	2.10	2.03	1.94	1.89	1.85	1.81	1.77	1.75	1.70	1.65
2.53	2.43	2.32	2.21	2.14	2.09	2.03	1.99	1.96	1.89	1.82
3.00	2.87	2.73	2.57	2.48	2.41	2.33	2.27	2.23	2.14	2.05
4.29	4.05	3.80	3.54	3.38	3.27	3.12	3.03	2.97	2.81	2.66
1.82	1.77	1.72	1.67	1.63	1.61	1.57	1.55	1.54	1.50	1.46
2.16	2.09	2.01	1.93	1.88	1.84	1.79	1.76	1.74	1.68	1.63
2.51	2.41	2.31	2.20	2.12	2.07	2.01	1.97	1.94	1.87	1.80
2.98	2.84	2.70	2.55	2.45	2.39	2.30	2.25	2.21	2.11	2.02
4.24	4.00	3.75	3.49	3.33	3.22	3.07	2.98	2.92	2.76	2.61
1.76	1.71	1.66	1.61	1.57	1.54	1.51	1.48	1.47	1.42	1.38
2.08	2.00	1.92	1.84	1.78	1.74	1.69	1.66	1.64	1.58	1.52
2.39	2.29	2.18	2.07	1.99	1.94	1.88	1.83	1.80	1.72	1.65
2.80	2.66	2.52	2.37	2.27	2.20	2.11	2.06	2.02	1.92	1.82
3.87	3.64	3.40	3.14	2.98	2.87	2.73	2.64	2.57	2.41	2.25
1.73	1.68	1.63	1.57	1.53	1.50	1.46	1.44	1.42	1.38	1.33
2.03	1.95	1.87	1.78	1.73	1.69	1.63	1.60	1.58	1.51	1.45
2.32	2.22	2.11	1.99	1.92	1.87	1.80	1.75	1.72	1.64	1.56
2.70	2.56	2.42	2.27	2.17	2.10	2.01	1.95	1.91	1.80	1.70
3.67	3.44	3.20	2.95	2.79	2.68	2.53	2.44	2.38	2.21	2.05
1.71	1.66	1.60	1.54	1.50	1.48	1.44	1.41	1.40	1.35	1.30
1.99	1.92	1.84	1.75	1.69	1.65	1.59	1.56	1.53	1.47	1.40
2.27	2.17	2.06	1.94	1.87	1.82	1.74	1.70	1.67	1.58	1.49
2.63	2.50	2.35	2.20	2.10	2.03	1.94	1.88	1.84	1.73	1.62
3.54	3.32	3.08	2.83	2.67	2.55	2.41	2.32	2.25	2.08	1.92
1.66	1.61	1.56	1.49	1.45	1.42	1.38	1.35	1.34	1.28	1.22
1.93	1.85	1.77	1.68	1.62	1.57	1.52	1.48	1.45	1.38	1.30
2.18	2.08	1.97	1.85	1.77	1.71	1.64	1.59	1.56	1.46	1.36
2.50	2.37	2.22	2.07	1.97	1.89	1.80	1.74	1.69	1.57	1.45
3.30	3.07	2.84	2.59	2.43	2.32	2.17	2.08	2.01	1.83	1.64
1.63	1.58	1.52	1.46	1.41	1.38	1.34	1.31	1.29	1.23	1.16
1.88	1.80	1.72	1.62	1.56	1.52	1.46	1.41	1.39	1.30	1.21
2.11	2.01	1.90	1.78	1.70	1.64	1.56	1.51	1.47	1.37	1.25
2.41	2.27	2.13	1.97	1.87	1.79	1.69	1.63	1.58	1.45	1.30
3.12	2.90	2.67	2.42	2.26	2.15	2.00	1.90	1.83	1.64	1.43
1.61	1.55	1.49	1.43	1.38	1.35	1.30	1.27	1.25	1.18	1.08
1.84	1.76	1.68	1.58	1.52	1.47	1.41	1.36	1.33	1.24	1.11
2.06	1.96	1.85	1.72	1.64	1.58	1.50	1.45	1.41	1.29	1.13
2.34	2.20	2.06	1.90	1.79	1.72	1.61	1.54	1.50	1.35	1.16
2.99	2.77	2.54	2.30	2.14	2.02	1.87	1.77	1.69	1.49	1.22